

8STRAND BRAIDED ROPE

PP MONOFILAMENT 8STRAND HOLLOW BRAIDED ROPE

It floats and is resistant to rot,oils,gasoline and most chemicals. This cord is great for barriers, tie downs, flagpole halyards, floating lines, and lifelines.



SIZE	COLOR	PACKING
3.0mm		
4.0mm		
5.0mm		
6.0mm		
7.0mm		
8.0mm	assorted	hank
9.0mm		bundle
10.0mm		coil
12.0mm		reel
14.0mm		
16.0mm		
18.0mm		
19.0mm		
20.0mm		

POLYESTER 8 STRAND BRAIDED ROPE

It has superior abrasion resistance and is a good option if you need a rope as strong as nylon but not as elastic. Abrasion resistance gives exceptional durability for running over pulleys and polyester is therefore a popular general-purpose rope in the boating industry and is often used for clotheslines





SIZE	COLOR	PACKING	
3.0mm	assorted		
4.0mm			
5.0mm			
6.0mm			
7.0mm			
8.0mm		hank	
9.0mm		bundle	
10.0mm		coil	
12.0mm		reel	
14.0mm			
16.0mm			
18.0mm			
19.0mm			
20.0mm			

NYLON 8STRAND BRAIDED ROPE

This high strength resilient nylon rope has the ability to absorb sudden shock; as well as excellent flex and superb resistance to abrasion, chemicals, and marine organisms. It is unaffected by mildew and rot and can be stored when wet. Some of the many uses include marine dock and anchor lines, shipping and industrial work, vehicle tow rope, tie-downs, farm and livestock usage. This rope is easy to splice and is very common for general purpose use and was the first synthetic.





SIZE	COLOR	PACKING	
3.0mm			
4.0mm			
5.0mm			
6.0mm			
7.0mm			
8.0mm	assorted	hank	
9.0mm		bundle	
10.0mm		coil	
12.0mm		reel	
14.0mm			
16.0mm			
18.0mm			
19.0mm			
20.0mm			

PP MULTIFILAMENT 8STRAND BRAIDED ROPE

This cord is constructed with 8 strands of multifilament polypropylene braided over and under each other in a circular direction. This construction permits a core (inside) fiber to be used for the purpose of adding strength. Polypropylene multifilament has a somewhat velvety appearance and feel.





SIZE	COLOR	PACKING
3.0mm		
4.0mm		
5.0mm		
6.0mm		
7.0mm		
8.0mm	assorted	hank
9.0mm		bundle
10.0mm		coil
12.0mm		reel
14.0mm		
16.0mm		
18.0mm		
19.0mm		
20.0mm		



16STRAND BRAIDED ROPE

PP MONOFILAMENT 16STRAND HOLLOW BRAIDED ROPE

It floats and is resistant to rot,oils,gasoline and most chemicals. This cord is great for barriers, tie downs, flagpole halyards, floating lines, and lifelines. Standard colors are yellow, white and black.





SIZE	COLOR	PACKING
3.0mm		
4.0mm		
5.0mm		
6.0mm		
7.0mm		
8.0mm		hank
9.0mm	- samurar	bundle coil reel
10.0mm	assorted	
12.0mm		
14.0mm		
16.0mm		
18.0mm		
19.0mm		
20.0mm		

POLYESTER 16STRAND BRAIDED ROPE

Polyester 16strand braided rope is made from 100% high tenacity polyester and characterized by their resistance to climate conditions as well as excellent UV resistance. This cords has high abrasion resistance, and very high breaking load. In comparison with polyamide cords. polyester cords are softer and more flexible in wet condition.



SIZE	COLOR	PACKING
3.0mm	assorted	
4.0mm		
5.0mm		
6.0mm		
7.0mm		
8.0mm		hank bundle coil reel
9.0mm		
10.0mm		
12.0mm		
14.0mm		
16.0mm		
18.0mm		
19.0mm		
20.0mm		

NYLON 16STRAND BRAIDED ROPE

This braid is generally stronger than solid braid, but not as strong as twisted or double braid. One of the best general purpose ropes that absorbs shock loads due to excellent elasticity. Nylon 16strand braided rope is made from 100% UV -stabilized high tenacity polyamide. Perfect elongation at breaking load. This makes it a good shock absorber.





SIZE	COLOR	PACKING
3.0mm		
4.0mm		
5.0mm		
6.0mm		
7.0mm		
8.0mm		hank
9.0mm		bundle coil reel
10.0mm	assorted	
12.0mm	1	
14.0mm		
16.0mm		
18.0mm		
19.0mm		
20.0mm		

PP MULTIFILAMENT 16STRAND BRAIDED ROPE

It is rot proof and unaffected by water,oil,gasoline,and most chemicals. It is light weight,economical,strong and used extensively for most rope requirements. It is easier to handle than rope made from natural fibers.







SIZE	COLOR	PACKING
3.0mm		
4.0mm		
5.0mm		hank bundle coil reel
6.0mm		
7.0mm	assorted	
8.0mm		
9.0mm		
10.0mm		
12.0mm		
14.0mm		
16,0mm		
18.0mm		
19.0mm		
20.0mm		

COTTON 16STRAND BRAIDED ROPE

It is the best choice when a soft feel and natural fiber are important. Cotton offers a softer touch than many synthetic ropes, so it is a popular choice for a wide range of consumer applications. Especially if the rope will be handled often.



SIZE	COLOR	PACKING	
3.0mm	assorted		
4.0mm			
5.0mm			
6.0mm			
7.0mm			
8.0mm		hank	
9.0mm		bundle	
10.0mm		coil	
12.0mm		reel	
14.0mm			
16.0mm			
18.0mm			
19.0mm			
20.0mm			



SOLID BRAIDED ROPE

PP MULTIFILAMENT SOLID BRAIDED ROPE

FP MULTIFILAMENT SOLID BRAIDED ROPE.

Solid braid multifilament polypropylene (MFP) has a somewhat velvety appearance and feel. It is constructed of various bundles of fiber interlocked together in a circular braided pattern. The name solid braid refers to the special lock-stitch construction. This is a floating rope and is rot proof and unaffected by water, oil, gasoline and most chemicals. Natural white color is standard, but other colors are available.



8			质
			R
	16 116	epperent Manager	A

SIZE	COLOR	PACKING
3.0mm		
4.0mm		
5.0mm		
6.0mm		
7.0mm		
8.0mm	assorted	hank
9.0mm		bundle
10.0mm		reel
12.0mm		calmshell
14.0mm		
16.0mm		
18.0mm		
19.0mm		
20.0mm		

POLYESTER SOLID BRAIDED ROPE

Solid braid does not unravel when cut as much as other constructions. This white cord stays flexible and knots easily even after prolonged use. Polyester does not have the stretch and elasticity of nylon. A favorite for guy lines, sash cords, pulleys, tie downs, and flagpole halyards.



SIZE	COLOR	PACKING	
3.0mm			
4.0mm			
5.0mm			
6.0mm			
7.0mm			
8.0mm	assorted		hank
9.0mm		bundle	
10.0mm		reel	
12.0mm		calmshell	
14.0mm			
16.0mm			
18.0mm			
19.0mm			
20.0mm			

NYLON SOLID BRAIDED ROPE

Solid braid ropes are constructed of various bundles of fiber interlocked together in a circular braiding pattern. Nylon is resistant to abrasion, chemicals, and marine organisms, and is among the strongest of rope fibers. Other uses include anchor, mooring, and dock lines. Also used as a general utility rope for farm, camping, home, or industrial use. . Not spliceable.





SIZE	COLOR	PACKING	
3.0mm			
4.0mm			
5.0mm			
6.0mm			
7.0mm			
8.0mm		hank	
9.0mm		bundle coil	
10.0mm	assorted	reel	
12.0mm		calmshell	
14.0mm			
16.0mm			
18.0mm			
19.0mm			
20.0mm			

COTTON SOLID BRAIDED ROPE

It is soft and pliable, and easy one the hands. Smooth 12-carrier solid braid cotton yarns provide greater abrasion resistance. No loading in center.



SIZE	COLOR	PACKING
3.0mm		hank bundle coil reel calmshell
4.0mm		
5.0mm		
6.0mm		
7.0mm	assorted	
8.0mm		
9.0mm		
10.0mm		
12.0mm		
14.0mm		
16.0mm		
18.0mm		
19.0mm		
20.0mm		

DOUBLE BRAIDED ROPE

PP MULTIFILAMENT DOUBLE BRAIDED ROPE

It is rot proof and unaffected by water,oil,gasoline,and most chemicals.It is light weight,economical,strong and used extensively for most rope requirements.It is easier to handle than rope made from natural fibers.



SIZE	COLOR	PACKING
6.0mm	assorted	hank bundle coil reel calmshell
7.0mm		
8.0mm		
9.0mm		
10.0mm		
12.0mm		
14.0mm		
16.0mm		Camision
18.0mm		
19.0mm		
20.0mm		

POLYESTER DOUBLE BRAIDED ROPE

Also known as braid on braid polyester. This rope is actually two braided ropes combined into one rope. A braided core is covered with a braided jacket to produce a strong easy to handle rope. This rope is spliceable and very strong. Polyester double braid provides an excellent combination of high strength, low stretch, excellent weathering and easy handling. Of all the popular fibers polyester has the best weathering characteristics and the best wet abrasion resistance





SIZE	COLOR	PACKING
6.0mm		
7.0mm	assorted	hank bundle coil reel calmshell
8.0mm		
9.0mm		
10.0mm		
12.0mm		
14.0mm		
16.0mm		
18.0mm		
19.0mm		
20.0mm		

NYLON 8STRAND HAWSER ROPE

The rope is higher than the general strength of ordinary cable, elongation, good impact resistance, abrasion resistance, UV resistance and chemical corrosion, use for a long time is not easy to fatigue, long service life. But under wet condition, the strength and elongation are different, intensity fell by 10%. Used in ship assembly, ocean transportation, heavy industry more shipbuilding, defence, military industry and port operations, and many other fields.



DIA	BREAKING STRENGT (TONS)
24mm	13.4
28mm	17.8
32mm	22.5
36mm	28.2
40mm	34
44mm	40.5
48mm	47.5
52mm	5.5
56mm	62.5
60mm	70.5
64mm	80
68mm	90
72mm	100
80mm	123
88mm	145
90mm	151
96mm	170
100mm	184
104mm	200
112mm	210
120mm	255
N 10 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	



PP MULTIFILAMENT 8STRAND HAWSER ROPE

The rope light specific gravity, good floating water, smooth surface, easy to operate. More used in the mooring rope, traction rope, fishing, port loading and unloading, ocean transportation, and many other fields



DIA	BREAKING STRENGTH (TONS)
24mm	8.97
28mm	11.73
32mm	14.89
36mm	16.94
40mm	20.51
44mm	24.69
48mm	28.67
52mm	33.16
56mm	37.86
60mm	43.27
64mm	49.08
68mm	55.31
72mm	61.53
80mm	75.71
85mm	85.2
88mm	90.92
90mm	95
96mm	107.14
100mm	115.82
104mm	124.49
112mm	141.84
120mm	164.29

POLYESTER 8STRAND HAWSER ROPE

The cables in all of the synthetic fiber rope, the wear resistance, good aging resistance, fatigue resistance, good UV and chemical corrosion resistance. At the same time under the condition of wet, breaking strength and elongation consistent with the standard state. Suitable for high load continuous friction work. Applied to ship mooring, towing and so on.



DIA	BREAKING STRENGTH(TONS
24mm	12.2
28mm	16.2
32mm	21.2
36mm	26.5
40mm	32.5
44mm	38.8
48mm	46.1
52mm	54.1
56mm	62.9
60mm	73.3
64mm	83.1
68mm	93.1
72mm	103.1
80mm	127.1
88mm	152.2
90mm	158.2
96mm	181.2
100mm	196.2
104mm	209.2
112mm	243.2
120mm	278.3


PP DANLINE 8STRAND HAWSER ROPE

The rope light specific gravity,good floating water. Mainly used in shipbuilding enterprise, national defence industry, fishing, port loading and unloading, ocean transportation, and many other fields









DIA	BREAKING STRENGTH (TONS)	
24mm	8.13	
28mm	10.7	
32mm	13.5	
36mm	17.04	
40mm	20.82	
44mm	24.8	
48mm	29.18	
52mm	33.88	
56mm	38.88	
60mm	44.18	
64mm	49.8	
68mm	55.92	
72mm	62.04	
80mm	75.71	
88mm	90.92	
90mm	94.98	
96mm	107.14	
100mm	115.82	
104mm	124.49	
112mm	141.84	
120mm	164.29	

PP MULTIFILAMENT ELASTIC ROPE

It is made from 100%high tenacity polypropylene multifilament yarns and parallel rubber core inside. Shock cord is a highly flexible rubber cord. The cover has excellent abrasion and UV resistance. This combination makes the cord compact, stable and durable.





SIZE	COLOR	PACKING
6.0mm		
7.0mm	assorted	
8.0mm		
9.0mm		hank bundle coil reel calmshell
10.0mm		
12.0mm		
14.0mm		
16.0mm		
18.0mm		
19.0mm		
20.0mm		

POLYESTER ELASTIC ROPE

This kind rope composed of one or more elastic strands forming a core, usually covered in a woven nylon or polyester sheath. The sheath itself does not materially extend elastically, but it is braided with its strands spiralling around the core, the core material is rubber, now elastic rope is often used to secure objects without tying knnots and to absorb shock.



SIZE	COLOR	PACKING
3.0mm		
4.0mm		
5.0mm		hank bundle
6.0mm	assorted	
7.0mm		
8.0mm		
9.0mm		
10.0mm		coil reel
12.0mm		reci
14.0mm		
16.0mm		
18.0mm		
19.0mm		
20.0mm		



NYLON ELASTIC ROPE

Bulk spools of elastic stretch cord, white nylon cover provides maximum Resistance to weather and abrasion. Available in assorted colors with plastic coated hooks. These are best quality with full rubber. Core for strength and elasticity.



SIZE	COLOR	PACKING
3.0mm		
4.0mm		
5.0mm		hank bundle coil reel
6.0mm		
7.0mm		
8.0mm	assorted	
9.0mm		
10.0mm		
12.0mm		
14.0mm		
16.0mm		
18.0mm		
19.0mm		
20.0mm		

BRAIDED ROPE WITH LEAD

PP 16BRAIDED ROPE WITH LEAD

The rope has abrasion resistance, excellent shock absorbing properties, mildew and moisture. Be used widely in several industries, such as as fishing, shipping and so on.



SIZE	COLOR	PACKING
4mm	assorted	
6mm		
8mm		
10mm		coil reel
12mm		
14mm		
16mm		
18mm		
20mm		

POLYESTER 16BRAIDED ROPE WITH LEAD

The rope has high strength, low stretch, resists oil, UV-ray and rot. Be used in fishing, shipping and so on and sinking in water.



SIZE	COLOR	PACKING
4mm	assorted	coil reel
6mm		
8mm		
10mm		
12mm		
14mm		
16mm		
18mm		
20mm		



@dimextrading

REFLECTIVE BRAIDED ROPE

PP REFLECTIVE 16BRAIDED ROPE

The rope is great for camping, boundary lines, boating and low visibility situations.





SIZE	COLOR	PACKING
4mm	assorted	coil reel bundle
6mm		
8mm		
10mm		
12mm		
14mm		
16mm		
18mm		
20mm		

