

HERRAMIENTA MANUAL MEDICIÓN Y EXTRACCIÓN





SCREW PITCH GAUGE

PARAMETER

Part No.	Blades	Thred type	Combination of blades
1	6PC	US60°	8/10/11/14/19/28
2	10PC		0.5/0.6/0.7/0.75/0.8/0.9
		METRIH	1.0/1.25/1.5/1.75
3	10PC		13/14/16/18/20/24/27
		S • A • E	28/36/40

Part No.	Blades	Thred type	Combination of blades
4	12PC	S • A • E	12/13/14/16/18/20/24 /27/28/36/40
5	12PC		0.4/0.5/0.6/0.7/0.75/0.8
		METRISCH60°	0.9/1.0/1.25/1.5/1.75/2.0





SCREW PITCH GAUGE

PARAMETER

Part No.	Blades	Thred type	Combination of blades
6	16PC	US60°	12/14/16/18/20/24/28 32/36/40/44/48/56/64 72/80
7	20PC	S160°	0.4/0.5/0.7/0.75/0.8/1.0 1.25/1.5/1.75/2.2/2.5/3.0 3.5/4.0/4.5/5.0/5.5/6.0 6.5/7.0
8	21PC	US60°	4/4.5/5/6/7/8/9/10/11/12 13/14/16/18/20/24/32/40 48/56/64
9	20PC	S • A • E	4/4.5/5/6/7/8/9/10/11/12 14/16/18/19/20/22/24/28 / 40/48
10	22PC	WHIT WORTH 55°	4/4.5/5/6/7/8/9/10/11/12 14/16/18/19/20/22/24/26 28/32/40/48

SCREW PITCH GAUGE

PARAMETER

Part No.	Blades	Thred type	Combination of blades
11	24PC	METRISCH60 ⁰	0.25/0.3/0.38/0.4/0.45/0.5 0.6/0.7/0.75/0.8/0.9/1.0 1.25/1.5/1.75/2.0/2.5/3.0 3.5/4.0/4.5/5.0/5.5/6.0
12	26PC	US60 ⁰	4/4.5/5/6/7/8/9/10/11/12 13/14/16/18/20/24/28/32 36/40/44/48/56/64/72/80
13	28PC	WHITWORTH 55 [°]	4/4.5/5/6/7/8/9/10/11/12 13/14/16/18/19/20/22/24 25/26/28/30/32/36/40/48 60/62
14	30PC	US60 ⁰	4/4.5/5/6/7/8/9/10/11/12 13/14/16/18/19/20/22/24 25/26/28/30/32/34/36/38 40/48/60/62
15	48PC		METRISCH 60 [°] 0.4/0.5/0.7/0.75/0.8/1.0 1.25/1.5/1.75/2.0/2.5/3.0 3.5/4.0/4.5/5.0/5.5/6.0/ 6.5/7.0 WHIT WORTH 55 [°] 4/4.5/5/6/7/8/9/10/11/12 13/14/16/18/19/20/22/24 25/26/28/30/32/36/40/48 60/62






SCREW PITCH GAUGE

PARAMETER



Part No.	Blades	Th red type	Combination of blades
16	51PC	US60°	0.25/0.3/0.38/0.4/0.45/0.5 0.6/0.7/0.75/0.8/0.9/1.0 1.25/1.5/1.75/2.0/2.5/3.0 3.5/4.0/4.5/5.0/5.5/6.0
17	52PC		METRISCH 60° 0.25/0.3/0.35/0.4/0.45/0.5 0.6/0.7/0.75/0.8/0.9/1.0/ 1.25/1.5/1.75/2.0/2.5/3.0/ 3.5/4.0/4.5/5.0/5.5/6.0 WHITWORTH 55° 4/4.5/5/6/7/8/9/10/11/12 13/14/16/18/19/20/22/24 25/26/28/30/32/36/40/48 60/62
18	58PC		METRISCH 60° 0.25/0.3/0.35/0.4/0.45/0.5 0.6/0.7/0.75/0.8/0.9/1.0/ 1.25/1.5/1.75/2.0/2.5/3.0/ 3.5/4.0/4.5/5.0/5.5/6.0 WHIT WORTH 55° 4/4.5/5/6/7/8/9/10/11/12 13/14/16/18/19/20/22/24 25/26/28/30/32/36/40/48 60/62 US60° 8/10/11/14/19/28



I SCREW PITCH GAUGE .

Heat treated spring steel sheet, stainless s-steel sheet and copper sheet

(Length)

【A】 : 75/84/89/100/150/200
300/500/1000mm

【B】 : 75/100mm

(Width)

【A】 : 12.8mm

【B】 : 10mm

(Thickness) : 0.02-1.0mm

I FEELER GAUGE ROLL

Heat treated spring steel sheet or stainless stell.

(Length) : 1m/3m/5m

(Width) : 12.8mm

(Thickness) : 0.02-1.0mm



PLUG RULER



	化口贝弓 Part No.	片数 Blades	范围 Range(mm)	每片小值 Combination of blades(mm)	重量 (g)
	89x32	32	0.02-1.00	0.02-0.03-0.04-0.05-0.06-0.07-0.08-0.09-0.10-0.13-0.15-0.18-0.20-0.23-0.25-0.28-0.30-0.33-0.38-0.40-0.45-0.50-0.55-0.60-0.63-0.65-0.70-0.75-0.80-0.85-0.90-1.00	114
	89a32	32	0.04-0.88	0.04-0.05-0.06-0.08-0.10-0.13-0.15-0.18-0.20-0.23-0.25-0.28-0.30-0.33-0.35-0.38-0.40-0.43-0.45-0.48-0.50-0.53-0.55-0.58-0.60-0.63-0.65-0.70-0.75-0.80-0.88	117
	100x16	16	0.05-1.00	0.05-0.10-0.15-0.20-0.25-0.30-0.35-0.40-0.50-0.55-0.60-0.70-0.75-0.80-0.90-1.00	28
	100x10	10	0.05-0.50	0.05-0.06-0.07-0.08-0.09-0.10-0.20-0.30-0.40-0.50	27
	100x12	12	0.05-0.40	0.05-0.06-0.07-0.08-0.09-0.10-0.15-0.20-0.25-0.30-0.35-0.40	29
	100x14	14	0.05-0.50	0.05-0.06-0.07-0.08-0.09-0.10-0.15-0.20-0.25-0.30-0.35-0.40-0.45-0.50	26
	100x14	14	0.05-1.00	0.05-0.06-0.07-0.08-0.09-0.10-0.15-0.20-0.25-0.30-0.40-0.50-0.75-1.00	32
	100x17	17	0.02-0.50	0.02-0.03-0.04-0.05-0.06-0.07-0.08-0.09-0.10-0.15-0.20-0.25-0.30-0.35-0.40-0.45-0.50	26
	100x17	17	0.02-1.00	0.02-0.03-0.04-0.05-0.06-0.07-0.08-0.09-0.10-0.15-0.20-0.25-0.30-0.45-0.50-0.75-1.00	32
	150A14	14	0.05-0.50	0.05-0.06-0.07-0.08-0.09-0.10-0.15-0.20-0.25-0.30-0.35-0.40-0.45-0.50	85
	150A14	14	0.05-1.00	0.05-0.06-0.07-0.08-0.09-0.10-0.15-0.20-0.25-0.30-0.40-0.50-0.75-1.00	96
	150A17	17	0.02-0.50	0.02-0.03-0.04-0.05-0.06-0.07-0.08-0.09-0.10-0.15-0.20-0.25-0.30-0.35-0.40-0.45-0.50	85
	150A17	17	0.02-1.00	0.02-0.03-0.04-0.05-0.06-0.07-0.08-0.09-0.10-0.15-0.20-0.25-0.30-0.40-0.50-0.75-1.00	99
	200A14	14	0.05-0.50	0.05-0.06-0.07-0.08-0.09-0.10-0.15-0.20-0.25-0.30-0.35-0.40-0.45-0.50	110
	200A14	14	0.05-1.00	0.05-0.06-0.07-0.08-0.09-0.10-0.15-0.20-.025-0.30-0.40-0.50-0.75-1.00	127
	200A17	17	0.02-0.50	0.02-0.03-0.04-0.05-0.06-0.07-0.08-0.09-0.10-0.15-0.20-0.25-0.30-0.35-0.40-0.45-0.50	113
	200A17	17	0.02-1.00	0.02-0.03-0.04-0.05-0.06-0.07-0.08-0.09-0.10-0.15-0.20-0.25-0.30-0.40-0.50-0.75-1.00	132
	300A14	14	0.05-0.50	0.05-0.06-0.07-0.08-0.09-0.10-0.15-0.20-0.25-0.30-0.35-0.40-0.45-0.50	169
	300A14	14	0.05-0.10	0.05-0.06-0.07-0.08-0.09-0.10-0.15-0.20-0.25-0.30-0.40-0.50-0.75-1.00	189
	300A17	17	0.02-0.50	0.02-0.03-0.04-0.05-0.06-0.07-0.08-0.09-0.10-0.15-0.20-0.25-0.30-0.35-0.40-0.45-0.50	175
	300A17	17	0.02-1.00	0.02-0.03-0.04-0.05-0.06-0.07-0.08-0.09-0.10-0.15-0.20-0.25-0.30-0.40-0.05-0.75-1.00	197


RADIUS GAUGES



Part No.	Blades	Range(mm)	Combination of blades(mm)
1	17	1-7.0	1.00-1.25-1.50-1.75-2.00-2.25-2.75-3.00-3.50-4.00-4.50-5.00-5.50-6.00-6.50-7.00
2	16	7.5-15.0	7.5-8.0-8.5-9.0-9.5-10.0-10.5-11.0-11.5-12.0-12.5-13.0-13.5-14.0-14.5-15.0
3	15	15.5-25	15.5- 16.0-16.5-17.0-17.5-18.0-18.5-19.0-19.5-20.0-20.5-21.0-21.5- 22.0-22.5-23.0-23.5-24.0-24.5-25.0





Part No.	Blades	Range(mm)	Combination of blades(mm)
4	16	1-6.5	1.00-1.25-1.50-1.75-2.00-2.25-2.50-2.75-3.00-3.50-4.00-4.50-5.00-5.50-6.00-6.50
5	17	1-7.0	1.00-1.25-1.50-1.75-2.00-2.25-2.50-2.75-3.00-3.50-4.00-4.50-5.00-5.50-6.00-6.50-7.00
6	16	7-14.5	7.00-7.50-8.00-8.50-9.00-9.50-10.0-10.5-11.0-11.5-12.0-12.5-13.0-13.5-14.0-14.5
7	16	15-25	15.0-15.5-16.0-16.5-17.0-17.5-18.0-18.5-19.0-19.5-20.0-21.0-22.0-23.0-24.0-25.0
8	15	15.5-25	15.5-16.0-16.5-17.0-17.5-18.0-18.5-19.0-19.5-20.0-21.0-22.0-23.0-24.0-25.0




KNIFE MODEL

Size: 29° 30° 40° 45° 50° 55° 60° 65°



CENTER ANGLE MODEL

Size: 55° 60°



I WIRE GAUGE


36PCS

-Size : 0.007 0.0078 0.0085 0.093 0.010
 0.0109 0.0125 0.014 0.01 56 0.017 0.0187
 0.0218 0.025 0.028 0.0312 0.0343 0.0375
 0.0437 0.050 0.056 0.0625 0.070 0.078
 0.0937 0.0109 0.125 0.140 0.156 0.172
 0.1875 0.203 0.234 0.250 0.256 0.281
 0.3125


YIN RULER




105MM 1-10MM




146MM 1-15MM



148MM 15-30MM



14MM 30-45MM



149MM 45-60MM




160MM 1-15MM



82MM 1-29MM

COMBINATION FISH RULER

MINI MACHINE TAP



DET #	LENGTH	THICKNESS	MATERIAL	LENGHT FRAME	CORNER FRAME	CORNER FRAME MATERIAL	WEIGHT
MULTIFUNT ION	305mm	2 mm	STAINLESS STEEL	113mm	25mm	ALUMINIUM ALLOY	328g
MULTIFUNT ION	600mm	2mm	STAINLESS STEEL	113mm	25mm	STAINLESS STEEL	404g



DET #	LENGTH	THICKNESS	MATERIAL	LENGHT FRAME	CORNER FRAME	CORNER FRAME MATERIAL	WEIGHT
MULTIFUNT ION	305mm	2 mm	STAINLESS STEEL	108mm	25mm	铝合金	164g
MULTIFUNT ION	305mm	2mm	STAINLESS STEEL	108mm	25mm	铝合金	164g

SCREW REMOVER



Diameter(mm)		◦ 4.5	◦ 6.4	07.6				◦ 24
Size	3-6	6-8	8-11	11-14	14-18	18-25	25-35	35-50



SCREW EXTRACTOR SET

4/6EXTRACTOR 【PLUG CARD】

SINGLE PACK

- POINT EXTRACTOR：4/6
- POINT EXTRACTOR：4/6




SCREW EXTRACTOR SET

4/6PLUG CARD2 PIECES SET

- 4/6 POINT EXTRACTOR

NAIL EXTRACTOR



SCREW EXTRACTOR SET

5PCS-Size : 3-6 6-8 8-11 11-14 14-18 (mm) <

7


Set, 6 Pc. jeud'Arrache-
vi^BPc. Juego Extractor
de Tornillos, 6 Pz.

7



SCREW EXTRACTOR SET

6PCS-Size : 3-6 6-8 8-11 11-14 14-18 18-25 (mm) <



SCREW EXTRACTOR

• : 3-6 6-8 8-11 11-14 14-18 18-25 25-35 35-50

<



SCREW EXTRACTOR

11PCS • : 3-3.5 4-4.5 5-7 8-9 10-12 (mm)

2/3/4/676.5 (mm) + 绞手

|



Diameter(mm)	04	04.5	\$6.4	07.6	\$11	015	中19	024
Size	3-6	6-8	8-11	11-14	14-18	18-25	25-35	35-50



I SCREW EXTRACTOR SET

5PCS-Size : 3-6 6-8 8-11 11-14
14-18 (mm)



I SCREW EXTRACTOR SET

6PCS-Size : 3-6 6-8 8-11 11-14 14-18
18-25 (mm)

BOLT EXTRACTOR

A

r



SCREW EXTRACTOR 5PCS

1#/2#/3#/4#/5#NO ADAPTER

I SCREW EXTRACTOR 5PCS

1#/2#/3#/4#/5#NO ADAPTER

_____ J y _____ J

r

r



I SCREW EXTRACTOR 6PCS粗牙

• : 1#/2#/3#/4#/5# WITH ADAPTER

I SCREW EXTRACTOR 6PCS细牙

• : 1#/2#/3#/4#/5# WITH
ADAPTER

_____ J


SCREW REMOVER

I BROKEN WIRE EXTRACTOR

Part No.	Texture of material	Packing
#0	HSS 4341	BLACK PLASTIC BOX
#1	HSS 4341	BLACK PLASTIC BOX
#2	HSS 4341	BLACK PLASTIC BOX
#3	HSS 4341	BLACK PLASTIC BOX
#4	HSS 4341	BLACK PLASTIC BOX



CARBON



TITANIUM



I BROKEN TAP EXTRACTOR

Part No.	Length(mm)	Diameter(mm)	Weight(g)
0#-M3	49	2.22	4.4
1#-M4	53	3.13	5.2
2#-M5	57	4.1	5.5
3#-M6	59	4.97	8
4#-M8	60	6.58	14.1
5#-M10	69	7.92	24.7
6#-M12	70	9.97	36.1
7#-M14	78	11.4	53.6
8#-M16	77	12.9	68.1
9#-M18	80	16.3	103.6
10#-M22	80	17.9	131.4
11#-M24	90	20	175.4
12#-M27	96	22.3	231.7
13#-M30	100	25.5	325



BROKEN TAP EXTRACTOR

Part No.	Imperial System	Length(mm)	Depth(mm)
1#-M4	6#	45	7.8
2#-M5	8-10#	45	8.5
3#-M6	1/4	60	10
4#-M8	5/16	60	8
5#-M10	3/8	70	15
6#-M12	1/2	70	12
7#-M14	9/16	77.5	12
8#-M16	5/8	78	15
9#-M18	3/4	85	19
10#-M22	7/8	85	19



I SCREW EXTRACTOR SET

5pc/6pc/9pc
83g/135g/601 g

BROKEN TAP
EXTRACTOR —

4 分	■ ■	148MM	137MM
6 分	■ ■	105MM	137MM

\ **BROKE TAP EXTRACTOR**
| 4/-Size : 3-6 6-8 8-11 11-14 14-18
18-25 (mm)

• Drills : 3/32 1/8 3/16 1/4 5/16
3/8

BROKEN TAP EXTRACTOR

■ ■	4/6	62MM	109MM
-----	-----	------	-------

03

HAND TAP SERIES



ZV

A



HAND TAP SERIES

Part No.	Length(mm)	(g)
M2	0.4	2
M3	0.5	3
M4	0.7	6
M5	0.8	9
M6	1.0	11
M7	1.0	13
M8	1.25	15
M9	1.25	20
M10	1.5	24
M12	1.75	34
M14	2.0	55
M16	2.0	59
M18	2.5	115
M20	2.5	115
M22	2.5	147
M24	3.0	230




I HAND TAP SUIT




MINI DIE SET
8PC 迷你板牙

• 规格：板牙架 1 支
M1.1*0.25/M1.2*0.25/M1.4*0.25/M1.6
*0.35/M1.8*0.35/M2.0*0.4/M2.5*0.45

1111111 11/i i R



TAPPING DIE SET
31PC



(2)：M1/M1.1/M1.2/M1.4
M1.6/M1.8/M2/M2.2
-板牙（1 支）：M1/M1.1/M1.2/M1.4
M1.6/M1.8/M2.0/M2.2



I HAND TAP SUIT
10PCS

-Size：M1/M1.2/M1.4/M1.6/M1.7/M1.8
M2/M2.5/M3/M3.5




I HAND TAP SUIT
8PCS

-Size：M1.1/M1.2/M1.4/M1.6/M1.8/M2
M2.5

I TAP WINCH




SPECIFICATI ONS	CHIEF	WEIGHT
M1-M8	140mm	0.07kg
M1-M10	185mm	0.117kg
M3-M10	185mm	0.127kg
M4-M12	285mm	0.3kg
M5-M20	375mm	0.63kg
M9-M27	520mm	1.07kg
M13-M33	620mm	1.46kg



SPECIFICATI ONS	CHIEF	WEIGHT
M1-M2	130mm	16x5mm
M5-M6	200mm	20x7 mm
M7-M9	235mm	25x9 mm
M10-M11	280mm	30x11mm
M12-M16	315mm	38x14mm
M18-M22	450mm	45x18mm
M22-M24	565mm	55x18mm
M30-M36	525mm	65x25mm

I TAP WINCH



SIZE	SPECIFICATION	RANGE
1/16-1/4	GERMAN STANDARD	M1-8
1/16-3/8	GERMAN STANDARD	M1-10
1/16-1/2	GERMAN STANDARD	M1-12
5/32-1/2	GERMAN STANDARD	M4-12
1/4-3/4	GERMAN STANDARD	M5-20
7/16-1"	GERMAN STANDARD	M9-27
1/2-1 1/2	GERMAN STANDARD	M13-32
1/16-1/4	GERMAN STANDARD	M1-6
1/16-1/2	GERMAN STANDARD	M3-12
3/16 " - 1/2 "	GERMAN STANDARD	M4-12
1/4-3/4	GERMAN STANDARD	M6-20
3/8 " ┘ "	GERMAN STANDARD	M8-25



SIZE	MODEL	SPECIFICATION	RANGE
16x5	W1/16-3/32	德标板牙绞手	M1-2.6
20x5	W1/8-5/32	德标板牙绞手	M3-4
20x7	W13/16-1/4	德标板牙绞手	M4.5-6
25x9	W5/16	德标板牙绞手	M7-9
30x11	W3/8-7/16	德标板牙绞手	M10-11
38x14	W1/2-9/16	德标板牙绞手	M12-14
45x14	W1/2-9/16	德标板牙绞手	M12-14
45x18	W5/8-13/16	德标板牙绞手	M16-20
55x18	W5/8-13/16	德标板牙绞手	M16-20
55x22	W7/8-1"	德标板牙绞手	M22-26
65x18	W7/8-1"	德标板牙绞手	M22-26
65x25	W11/8-1 3/8 "	德标板牙绞手	M27-36

TAP SET



6PCS SAE TAP AND DIE SET. ALLOY STEEL CONTENT
DIES 5 PCS IN FOLLOWING SIZE:

M5X0.8 M6*1.0 M8*1.25 M10*1.5 M12*1.75

TAP WINCH 1 PCS IN FOLLOWING SIZE, AS DIES SIZE
1 T-TAP WINCH

PACKAGING INFORMATION

TYPE OF PACKAGING:

CARD INSERTING PLASTIC BOX

MASTER CARTON WEIGHT(GROSS): 16 KGS

MASTER CARTON WEIGHT(NET): 15 KGS



8PCS SAE TAP AND DIE SET. ALLOY STEEL CONTENT
DIES 7 PCS IN FOLLOWING SIZE:

M3X0.5 M4X0.4 M5X0.8 M6X1.0 M8X1.25 M10X1.5
M12X1.75

TAPS 1 PCS IN FOLLOWING SIZE, AS DIES SIZE

1 PC DIE WINCHES

PACKAGING INFORMATION

TYPE OF PACKAGING:

CARD INSERTING PLASTIC BOX

MASTER CARTON WEIGHT(GROSS): 16 KGS

MASTER CARTON WEIGHT(NET): 15 KGS



8PCS SAE TAP AND DIE SET. ALLOY STEEL CONTENT
DIES 7 PCS IN FOLLOWING SIZE:

M3X0.5 M4X0.4 M5X0.8 M6X1.0 M8X1.25 M10X1.5
M12X1.75

TAPS 1 PCS IN FOLLOWING SIZE, AS DIES SIZE

1 PC DIE WINCHES

PACKAGING INFORMATION

TYPE OF PACKAGING:
CARD INSERTING PLASTIC BOX

MASTER CARTON WEIGHT(GROSS): 16
KGS

MASTER CARTON WEIGHT(NET): 15 KGS

TAP SET



9PCS SAE TAP AND DIE SET. ALLOY STEEL CONTENT

DIES 8 PCS IN FOLLOWING SIZE:

丝锥：M3/M4/M5/M6

麻花钻：M2.5/M3.5/M4.2/M5.3

TAPS 1 PCS IN FOLLOWING SIZE, AS DIES SIZE

1 PC M3-M6 TAP WINCH

PACKAGING INFORMATION

TYPE OF PACKAGING:

CARD INSERTING PLASTIC BOX

MASTER CARTON QUANTITY: 24 SETS

12PCS SAE TAP AND DIE SET. ALLOY STEEL CONTENT

DIES 5 PCS IN FOLLOWING SIZE:

14-20、5/16-18、3/8-16、7/16-14、1/2-13

TAPS 5 PCS IN FOLLOWING SIZE, AS DIES SIZE

1 PC DIE HANDLE 1 PC TAP WRENCH PACKAGING INFORMATION

TYPE OF PACKAGING:

MOULD PLASTIC CASE +COLOR SLEEVE

MASTER CARTON QUANTITY: 24 SETS

MASTER CARTON MEASURE(XWXL):28X25X 19(CM)

MASTER CARTON WEIGHT(GROSS): 16 KGS

MASTER CARTON WEIGHT(NET): 15 KGS

20PCS SAE TAP AND DIE SET. ALLOY STEEL CONTENT

DIES 18 PCS IN FOLLOWING SIZE:

9 TAPPING: M3X0.5 M4X0.7 M5X0.8 M6X1.0 M7X1.0 M8X1.25 M9X1.25 M10X1.5 M12X1.75

9 THREADING DIE: M3X0.5 M4X0.7 M5X0.8 M6X1.0 M7X1.0 M8X1.25 M9X1.25 M10X1.5 M12X1.75

TAPS 2 PCS IN FOLLOWING SIZE, AS DIES SIZE

1 TAPPING WINCH AND 1 DIE WINCHES

PACKAGING INFORMATION

TYPE OF PACKAGING:

MOULD PLASTIC CASE

MASTER CARTON QUANTITY: 20 SETS

MASTER CARTON MEASURE(XWXL):25.5X 10.5X 19(CM)

MASTER CARTON WEIGHT(GROSS): 16 KGS

MASTER CARTON WEIGHT(NET): 15 KGS



TAP SET



6PCS SAE TAP AND DIE SET. ALLOY STEEL CONTENT
DIES 5 PCS IN FOLLOWING SIZE:
SCREW TAP MODEL: M3 M4 M5 M6 M7 M8 M9 M10 M12
THREE EACH
DIE MODEL: M3 M4 M5 M6 M7 M8 M9 M10 M12
TAP WINCH 1 PCS IN FOLLOWING SIZE, AS DIES SIZE
1 T-TAP WINCH
PACKAGING INFORMATION
TYPE OF PACKAGING:
CARD INSERTING PLASTIC BOX
MASTER CARTON WEIGHT(GROSS): 16 KGS
MASTER CARTON WEIGHT(NET): 15 KGS



40 PCS SAE TAP AND DIE SET, ALLOY STEEL CONTENT
DIES 17 PCS IN FOLLOWING SIZE
4•40、6-32、8-32、10-24、1/4-20、1/4-28、5/16-18、5/16-24、
3/8-16x3、8-24、7/16-14、7/16-20、1/2•13、1/2-20、1/8-27；
TAPS 17 PCS N FOLLOWING SIZE, AS DIES SIZE
1 PC DIE HANDLE, 1 PC TAP WRENCH
1 PCT TYPE TAP WRENCH. 1 PC SCREW-PITCH GAUGE
1 PC SCREWDRIVER
PACKAGING NFORMATION
TYPE OF PACKAGING
MOULD PLASTIC CASE + COLOR SLEEVE
MASTER CARTON QUANTITY : 10 SETS
MASTER CARTON MEA-
SURE (HXWX): 33 x29 5x12.5 (CM)
MASTER CARTON WEIGHT (GROSS): 16KGS
MASTER CARTON WEIGHT (NET): 15 KGS



45 PCS METRIC TAP AND DIE SET, ALLOY STEEL CONTENT
DIES 7 PCS IN FOLLOWING SIZE :
6x1.0、6x0.75、8x1.25、8x1.0、10x1.5、10x1.25、12xL 75、
12x1.5、14x2.0、14x1.5、16x2.0、16x1.5、18x1.5、18x2.5、
20x2.5、20x1.5、22x2.5、22x1.5、24x3.0、24x1.5
TAPS 20 PCS N FOLLOWING SIZE, AS DIES SIZE
1 PC DIE HANDLE 1 PC TAP WRENCH
1PCT TYPE TAP WRENCH, 1 PC ADAPTER, 1PC
SCREWDRIVER
PACKAGING INFORMATION
MASTER CARTON QUANTITY: 3 SETS
MASTER CARTON MEASURE (HXWXL): 43x24x38 (CM)
MASTER CARTON WEIGHT (GROSS): 20.5 KGS
MASTER CARTON WEIGHT (NET): 19 KGS

I HAND TAP SUIT



12PCS SAE TAP AND DIE SET. ALLOY STEEL CONTENT
DIES 5 PCS IN FOLLOWING SIZE:

14-20、 5/16-18、 3/8-16、 7/16-14、 1/2-13

TAPS 5 PCS IN FOLLOWING SIZE, AS DIES SIZE

1 PC DIE HANDLE 1 PC TAP WRENCH

PACKAGING INFORMATION

TYPE OF PACKAGING:

MOULD PLASTIC CASE +COLOR SLEEVE

MASTER CARTON QUANTITY: 24 SETS

MASTER CARTON MEASURE(XWXL):28X25X19(CM)

MASTER CARTON WEIGHT(GROSS): 16 KGS

MASTER CARTON WEIGHT(NET): 15 KGS



86PCS SAE TAP AND DIE SET. ALLOY STEEL
CONTENT

DIES 5 PCS IN FOLLOWING SIZE:

1/8-27NPT, 4-40, 6-32, 8-32,10-32,10-24,12-24,

1/4-20.1/4-28,5/16-28

5/16-24,3/8-24,7/16-147/16-20,1/2-13,

1/2-20,9/16-12,9/16-18,5/8-115/8-18

M3X0.5, M4X0.7, MSX0.8, M6X1.0,

M7X1QM8XL25M9X1.25, M10X1.5, M10X1.25

M11X1.5₃M11X1.25 M12X1.75₃M12X1.5₃ M14X2.0,

M14X1.5, M16X2.0M16X1.5

TAP WINCH 1 PCS IN FOLLOWING SIZE, AS DIES SIZE

1 T-TAP WINCH

PACKAGING INFORMATION

TYPE OF PACKAGING:

CARD INSERTING PLASTIC BOX

MASTER CARTON WEIGHT(GROSS): 16 KGS



I HAND TAP SUIT

110PCS SAE TAP AND DIE SET. ALLOY STEEL CONTENT

DIES 106 PCS IN FOLLOWING SIZE:

M2X0.4, M3X0.5, M4X0.7, M5X0.8, M6X0.75, M6X1.0, M7X0.75
M7X1.0, M8X0.75, M8X1, M8X1.25, M9X0.75, M9X1.0,
M9XL25, M10X0.75, M10XL0, M10XL1.25, M10X1.5,
M11X0.75, M11X1.0, M11X1.25, M11X1.5, M12X0.75, M12X1.0,
M12XL25, M12X1.5, M10XL75, M14X1.0, M14X1.25,
M14X1.5, M14X2.0, M16X1.0, M16X1.5, M16X2.0, M18X1.5

PACKAGING INFORMATION

TYPE OF PACKAGING:

PLASTIC BOX PACKAGING

MASTER CARTON QUANTITY: 24 SETS

MASTER CARTON WEIGHT(GROSS): 16 KGS

MASTER CARTON WEIGHT(NET): 15 KGS

115PCS SAE TAP AND DIE SET. ALLOY STEEL CONTENT

DIES 110 PCS IN FOLLOWING SIZE:

M2X0.4, M3X0.5, M4X0.7, M5X0.8, M6X0.75, M6X1.0, M7X0.75
M7X1.0, M8X0.75, M8X1, M8X1.25, M9X0.75, M9X1.0,
M9XL25, M10X0.75, M10XL0, M10XL1.25, M10X1.5,
M11X0.75, M11X1.0, M11X1.25, M11X1.5, M12X0.75, M12X1.0,
M12X1.25, M12X1.5, M10XL75, M14X1.0, M14X1.25,
M14X1.5, M14X2.0, M16X1.0, M16X1.5, M16X2.0, M18X1.5

PACKAGING INFORMATION

PLASTIC BOX PACKAGING

MASTER CARTON QUANTITY: 24 SETS

MASTER CARTON WEIGHT(GROSS): 16 KGS

MASTER CARTON WEIGHT(NET): 15 KGS

TAP CHUCK




O OZ MOUTH	SPECIFICATION S	RANGE (METRIC SYSTEM)	CLAMPING RANGE BRITISH
WHEEL WRENCH	85*100	M3-8	1/8-5/16
WHEEL WRENCH	110*120	M5-12	3/16-7/16
WHEEL WRENCH	250*100	M3-8	1/8-5-16
WHEEL WRENCH	300*120	M5-12	3/16-7/16

o <7 口口 七	规格	夹持范围（公制）	夹持范围（英制）
丝锥夹头	60x80	M3-6	1/8-1/4
丝锥夹头	70x100	M5-10	3/16-3/8
丝锥夹头	80x114	M6-12	1/4-7/16

06

M

MACHINE TAP SERIES



I MINI MACHINE TAP

Part No.	Length(mm)	(g)
M1.0	0	0
MI.I	0.25	1.4
M1.2	0.25	1.5
M1.4	0.25	1.5
M1.4	0.3	1.5
M1.5	0.3	1.4
M1.6	0.35	1.7
M1.7	0.35	1.8
M1.8	0.35	1.8
M2.0	0.4	1.9
M2.1	0	0
M2.2	0.4	2
M2.5	0.45	2.1
M2.6	0.45	2.2

I MINI MACHINE TAP

Part No.	Length(mm)	(g)
M2	0.2	2
M2.5	0.25	2.2
M3	0.5	2.5
M4	0.75	1.5
M5	1	8.6
M6	1.25	11
M8	1.25	14.5
M10	1.5	24.5
M12	1.75	38.5
M14	2	60.1
M16	2.25	76.1
M18	2.5	121.8
M20	2.75	139.3
M22	3	178
M24	3.25	219.7



I MINI MACHINE TAP

Part No.	Texture of material	System
1/2	M42	AMERICAN
1/4	M42	AMERICAN
3/4	M42	AMERICAN
1/8	M42	AMERICAN
3/8	M42	AMERICAN
5/8	M42	
3/16	M42	AMERICAN
5/16	M42	AMERICAN
7/16	M42	AMERICAN
2	M42	AMERICAN
4	M42	AMERICAN
5	M42	AMERICAN
6	M42	AMERICAN
8	M42	AMERICAN
10	M42	AMERICAN
12	M42	AMERICAN


I MINI MACHINE TAP

Part No.	Length(mm)	(g)
M3	12	2.4
M4	15	4.5
M5	18	7.5
M6	21	12
M7	0	0
M8	23	14.5
M9	0	0
M10	25	26.5
M12	30	40.9
M14	30	60.8
M16	32	87.2
M18	37	119.6
M20	38	129




IMINI MACHINE TAP



Part No.	Length(mm)	(g)
M3	0.2	1.9
M4	0.25	2.2
M5	0.5	2.5
M6	0.7	4.6
M8	0.8	8.6
M10	0.8	11
M12	1	14.5
M14	1.25	24.5
M16	1.75	38.5
M18	2	60.1
M20	2.25	76.1
M22	2.5	121.8
M24	2.75	128.6



TRIANGLE PLATE



DETECTION #	METRIC SYSTEM	SIZE	MATERIAL	THICKNESS	WEIGHT
TRIANGULAR RULER	BRITISH	12寸	ALUMINIUM	4.5mm	550g
TRIANGLE WITH HOLES	BRITISH	12寸	ALUMINIUM	4.5mm	460g



ITEM	METRIC SYSTEM	SIZE	MATERIAL	THICKNESS	WEIGHT
RED TRIANGULAR RULER	BRITISH	7	PLASTIC	3mm	110g
TRIANG RULER	BRITISH	7		3mm	121g
TRIANG RULER	BRITISH	7		3 mm	125g
TRIANG RULER	BRITISH	12		4.5mm	500g
TRIANG RULER	BRITISH	12		4.5mm	509g

收纳磁条

IMINI MACHINE TAP 工具收纳磁条

规格：8/12/18/24英寸

总长：250/310/459/680 mm



COMBINER

SPECIFICATIONS	ELECTRIC/MANUAL
CARD	100mm
• LENGTH :	111 mm
WEIGHT	79g



CROSS SPANNER

- ITEM : BLACK SILVER
- MATERIAL : SILK ALLOY
- PACKAGING : PLASTIC
- WEIGHT: 50g

I SCALD WINE BOTTLE

DOUBLE HEAD :

【65/85mm】

【65mm】

【85mm】

- WEIGHT: 0.28/0.4kg
- GENERAL: 25.5/29/48cm



I SCALD WINE BOTTLE

SPECIFICATIONS : 5/6.5/8.5/10cm

- LENGHT: 39cm
- WEIGHT: 0.183kg



SPECTACLE WRENCH



PLUM WRENCH	COLOR	SCOPE	THICKNESS	SURFACE	WEIGHT
STANDARD	B L A C K - SILVER	8-22mm	7 mm	POLISHING	232g
STANDARD	B L A C K - SILVER	8-22mm	7mm	POLISHING	232g
STANDARD	B L A C K - SILVER	8-22mm	5 mm	POLISHING	120g
STANDARD	B L A C K - SILVER	8-22mm	5mm	POLISHING	120g
STANDARD	B L A C K - SILVER	8-22mm	3.5mm	POLISHING	100g
STANDARD	B L A C K - SILVER	8-22mm	3.5mm	POLISHING	100g
MINI	B L A C K - SILVER	3-17mm	3.5mm	POLISHING	100g