

@dimextrading DIMEXTRADINGCO.COM

Item	Product Name	Picture	Unit
CL-038	Solar Torch	Kgcs 0.1dan	PCS
CL-039	Solar Torch	A More G. Lider	PCS
CL-058	Solar Torch	CL-058 WARRANNETE LIGHT SPOTLICHT SOCIAL STATES SOCIAL STATES	PCS
CL-059	Solar Torch	VARBUWHITE LIGHT PET SOLAR PANEL SOloce 0.13/251	PCS
CL022	Solar lamp	CL-022	PCS
CL028MAX	Solar lamp	B0pcs 0.1cbm	PCS
CL6028MAX	Solar lamp	CL-6028MAX	PCS
CL052	Solar Torch	SOLAT EMPOY LAND	PCS
CL053	Solar Torch	CL-053	PCS
CL508	Solar lamp	CL-508	PCS

	Product Specifications
3.PA 4. LA 5. 10 BATT	PER BRIGHT TORCH PER BRIGHT ONE 3W LED BULB CK WITH 6V 12W SOLAR PANEL NYARD HOLE OUMAH HIGH CAPACITY LITHIUM BATTERY(5-6 YEARS TERY LIFE) GH POWER LED LIGHT
2.SU 3.WI 4. LA 5.150 BATT 6. HI 7. SL HOU 8.ON	PER BRIGHT TORCH (5 hours) PER BRIGHT ONE 3W LED BULB (6-6.5HOURS) ITH 6V 1.2W SOLAR PANEL NYARD HOLE JOMAH HIGH CAPACITY LITHIUM BATTERY(5-6 YEARS IERY LIFE) GH POWER LED LIGHT PER BRIGHT DESK LAMP (WORKING TIME 6-6.5 RS) E SY USB OUTPUT PORT(INCLUDE A 3 IN 1 MOBILE ROCE WIRE)
2.SU LIGH 3.PA 4. LA 5. 18	PER BRIGHT TORCH PER BRIGHT LED LAMP(WARM LIGHT AND COLD IT) CK WITH 6Y 1.5W SOLAR PANEL INVARD HOOK OU MAH HIGH CAPACITY LITHIUM BATTERY(5-6 YEARS TERY LIFE)
2.SU LIGH 3.PA 4. LA 5. 15	PER BRIGHT TORCH PER BRIGHT LED LAMP(WARM LIGHT AND COLD IT) CW WITH 6V 1.8W SOLAR PANEL INYARD HOOK OO MAH HIGH CAPACITY LITHIUM BATTERY(5-6 YEARS TERY LIFE)
2.CO 3.CO 4.TH 500T 5.CO MOD FREE 6.CH	ME WITH 800MAH RECHARGEABLE LITHIUM BATTERY ME WITH 6V1.2W SOLAR PANEL. ME WITH 10PCS HIGHT BRIGHTNESS SMD LED. E BATTERY CAN BE RECHARGED MORE THAN MES. ME WITH MOVING SWITCH WITH THREE (E60%/100%), CAN ADJUST THE BRIGHTNESS ELY. ARTIME TIME: 5-10H. PRKING TIME:HIGHT LIGHT: 4-5H
2.CO 3.CO 4.TH TIME 5.CO MOD FREE 6.CH	ME WITH MOVING SWITCH WITH THREE E(50%/100%), CAN ADJUST THE BRIGHTNESS
2.CO 3.CO 4.TH TIME 5.CO MOD FREE 6.CH	IME WITH 14PCS HIGHT BRIGHTNESS LED. E BATTERY CAN BE RECHARGED MORE THAN 500 S.S. IME WITH MOVING SWITCH WITH THREE IE(50%/100%), CAN ADJUST THE BRIGHTNESS
2.SU LIGH 3.PA 4. LA 5. 12	PER BRIGHT LED LAMP PER BRIGHT LED LAMP(WARM LIGHT AND COLD IT) CK WITH 6V 1.2W SOLAR PANEL NYARD HOOK 00 MAH HIGH CAPACITY LITHIUM BATTERY(5-6 YEARS EERY LIFE)
2.SU LIGH 3.PA 4. LA 5. 22 BATT 6. U	PER BRIGHT LED LAMP PER BRIGHT LED LAMP(WARM LIGHT AND COLD IT) CK WITH 6V 1.8W SOLAR PANEL NIVARD HOOK 00 MAH HIGH CAPACITY LITHIUM BATTERY(5-6 YEARS TERY LIFE) SB SV OUT-PUT FOR PHONE CHARGING TH TWO LED BULBS
2.CO 3.CO 4TH TIME 5.WI 6. CO EME 7.CH	ME WITH 1800MAH RECHARGEABLE BATTERY. ME WITH 691.2W SOLAR PANEL. ME WITH 20PCS HIGHT BRIGHTNESS SMD LED. IE BATTERY CAN BE RECHARGED MORE THAN 500 SS TH ONE PICEC LED BULBS ME WITH THREE IN ONE MOBILE CABLE,TO NCENCY MOBILE CHARGE. ARTIME TIME: 6-10H. RRKING TIME: MOR THAN (3-7 HOURS)

QTY/CT	СВМ	GW/K G
80	0.104	25.3
60	0.104	22.8
60	0.13	28
60	0.128	28
100	0.094	
80	0.098	27.1
80	0.103	25
60	0.093	25
45	0.1	27
60	0.088	25

CL509	Solar lamp	ESC: 9400 ESC: 0400 ESC: 9400 ESC: 9	PCS	1.COME WITH 1800MAH RECHARGEABLE BATTERY. 2.COME WITH 6V1.2W SOLAR PANEL. 3.COME WITH 20PCS HIGHT BRIGHTINESS SMD LED. 4. THE BATTERY CAN BE RECHARGED MORE THAN 500 TIMES 5. BUILT IN SCREW/PIN(E27 or B22) BASE OR BAYONET BASE 7. CHARTIME TIME: 6-10H. 8. WORKING TIME: MOR THAN (3-7 HOURS)	60	0.088	25
GR015	Solar lamp	GR-015	PCS	1, 6V .1.2w solar panel 2. 1000mAh battery 3. It can be bright for 4-5 hours when fully charged	60	0.1	
GD07A	SOLAR LIGHT	GD-07A	PCS	1. IP65 WEATHER PROOF, NO WORRY ABOUT DUST AND RAINY DAYS. 2.BUILT IN 6V 3.8W SOLAR PANEL (3-6 HOURS CAN BE FULLY CHARGED) 3.BUILT IN 3000MAH HIGH CAPACITY LITHIUM BATTERY. 4.BUILD IN MAIN LIGHT(SINGLE USE CAN LAST 4H) 5.WITH THREE 3W QUADRATE LED BULBS(CAN USE 5H) 6.WITH 5V USB OUTPUT PORT(INCLUDE ONE 3 IN 1 MOBILE CHARGE WIRE) 7.180° ROTATING BRACKET	30	0.100	27.50
GD101	SOLAR LIGHTIN G SYSTEM	GD-101 U AAA Filipsis 0.11cbrs	PCS	1. BUILT IN 6000MAH HIGH CAPACITY LITHIUM BATTERY. 2. WITH 6V 3.8W SOLAR PANEL(CHARGE TIME 10- 12HOUR) 3. THREE PICECS LED BULBS (THREE BULBS WILL USE 8-12HOURS WHEN FULLY CHARGED) 4. TWO 5V USB OUTPUT (INCLUDE A 3 IN 1 MOBILE CHAREGE WIRE) 5. BUILD-IN WITH 20W TORCH ON SIDE 6.BUILT IN 80W SUPER BRIGHT LED FLOOD LIGHT.(CAN ADJUST BRIGHTNESS)	18	0.110	27.00
GD105	SOLAR LIGHTIN G SYSTEM	GD-105	PCS	1.BUILT IN 6000MAH RECHARGEABLE LITHIUM BATTERY. 2.WITH 6V3.8W SOLAR CHARGE HOLDER (CHARGE TIME 8-10 HOURS) 3.BUILT IN 80W LED LIGHT .(WITH WARM AND WHITE LIGHT) 4.BUILT IN 20W TORCH 5.WITH THREE PICECS LED BULBS (THREE BULBS WILL USE 8-15 HOURS WHEN FULLY CHARGED 6. SV USB OUTPUT PORT(INCLUDE A 5 IN 1 MOBILE CHARGE WIRE)	20	0.090	24.00
GD106	SOLAR LIGHTIN G SYSTEM	6D-106	PCS	1.BUILT IN 4000 MAH RECHARGEABLE LITHIUM BATTERY. 2.WITH 6V3.8W SOLAR CHARGE HOLDER (CHARGE TIME 8-10 HOURS) 3.BUILT IN 30W LED LIGHT. 5.WITH THREE PICECS LED BULBS (THREE BULBS WILL USE 8-15 HOURS WHEN FULLY CHARGED 6. 5V USB OUTPUT PORT(INCLUDE A 3 IN 1 MOBILE CHARGE WIRE)	18	0.085	27.00
GD107T	SOLAR LIGHTIN G SYSTEM	GD-107T	PCS	1. BUILT IN 5000MAH HIGH CAPACITY LITHIUM BATTERY. 2. WITH 6V 3.8W SOLAR PANEL(CHARGE TIME 10- 12HOUR) 3. THREE PICECS LED BULBS(THREE BULBS WILL USE 8-12HOURS WHEN FULLY CHARGED) 4. TWO 5V USB OUTPUT (INCLUDE A 3 IN 1 MOBILE CHARGE WIRE) 5. BUILD-IN WITH 20W TORCH ON SIDE 6.BUILT IN 80W SUPER BRIGHT LED TUBE ON SIDE LIGHT.(CAN ADJUST BRIGHTNESS)	18	0.094	
GD80105	SOLAR LIGHTIN G SYSTEM	6D-83105	PCS	1.BUILT IN 4.5AH RECHARGEABLE BATTERY. 2. With 1000 lumens makes it the most powerful LED lantern 3.Up to 60 hours of lighting time in a single charge 4.Two modes: Power saving and ultra bright 5. Built-in discharge and over charge circuits for battery protection 6.Emergency USB port for most mobile devices	24	0.050	25.00

GD150M	SOLAR GENERA TOR	STEEL CONTROL OF STEEL S	PCS	1. Built-in 50600mah high quality lithium battery, circulation life above 500 times. 2. With 16V40w solar charging panel (6-8 hours charge time) 3. Four external LED 5W bulbs 4. 2 5V -USB outlets and 6 12V -DC outlets 5. Built-in 30WLED lamp 6. An external 5 meter line 30W LED lamp 7. Equipped with a 16v2.5A power adapter for charging (6hours charge time) 8. An external battery socket is provided 9.Battery power display (LCD) 10. A 220V out-put
GD350M	SOLAR GENERA TOR	COTINES IN CO. SIGNE IN CO.	PCS	1. Built-in 75000mah high quality lithium battery, circulation life above 500 times. 2. With 16V75w solar charging panel (6-8 hours charge time) 3. Four external LED 5W bulbs 4. 2 5V -USB outlets and 6 12V -DC outlets 5. Built-in 30WLED lamp 6. An external 5 meter line 30W LED lamp 7. Equipped with a 16v2-5A power adapter for charging (6hours charge time) 8. An external battery socket is provided 9.Battery power display (LCD) 10. A 220V out-put 12.MAX Output power 350W
GD1280	Battery	GD-1280 © 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	PCS	1. BUILT-IN 12V 7AH RECHARGEABLE SEALED LEAD-ACID BATTERY 2. USING 18V 10W SOLAR PANEL(MAX SOLAR INPUT 18V) 3. S-12V OUTPUT CAN POWER ELECTRONIC PORDUCTS (SUCH AS SMALL FANS,LAPTOP, RADIO,SAMLL LCD TV.) 4. TWO 5V USB OUTPUT 5. THREE 12V DC OUTPUT (INCLUDE THREE 5W LED BUILDS)SMETERS WIRE 6. WITH STRAP Prevent high temperatures. During use and storage, the battery should not be placed in an environment of more than 40 degrees Celsius to prevent violent oscillation
GD12440	Battery	GD-12240	PCS	1. BUILT-IN 12V 20AH RECHARGEABLE SEALED LEAD-ACID BATTERY 2. USING 18V 20W SOLAR PANEL(MAX SOLAR INPUT 18V) 3. 5.12V OUTPUT CAN POWER ELECTRONIC PORDUCTS (SUCH AS SMALL FANSLAPTOP, RADIO, SAMIL LCD TV.) 4. TWO 5V USB OUTPUT 5. THREE 12V DC OUTPUT (INCLUDE THREE 5W LED BULBS)SMETERS WIRE 6. WITH STRAP Prevent high temperatures. During use and storage, the battery should not be placed in an environment of more than 40 degrees Celsius to prevent violent oscillation
CL01	Solar system	CL-01	PCS	1 BUILT IN 6000MA HIGH CAPACITY LITHIUM BATTERY. 2 WITH BY 4W SOLAR PANEL (CHARGE TIME 10-12 HOURS) 3 BUILT IN SUPER BRIGHT LED TUBE ON SIDE (CAN ADJUST BRIGHTNESS) 4 WITH THREE LED BULB (CAN USE 8-10 HOURS AT SAME TIME) 5 ONE 5V USB OUTPUT PORT (INCLUDE A 5 IN 1 MOBILE CHARGE WIRE) 6 FOUR 3.2V OUTPUT PORT FOR BULBS.
CL02	Solar system	CL-02	PCS	1 BUILT IN 6000MA HIGH CAPACITY LITHIUM BATTERY. 2 WITH 6V 4W SOLAR PANEL(CHARGE TIME 10-12 HOURS) 3 BUILT IN SUPER BRIGHT LED TUBE ON SIDE.(CAN ADJUST BRIGHTNESS) 4 BUILT IN SIDE TORCH(CAN ADJUST BRIGHTNESS) 5 WITH THREE LED BULB(CAN USE 8-10 HOURS AT SAME TIME) 6. ONE 5V USB OUTPUT PORT(INCLUDE A 5 IN 1 MOBILE CHARGE WIRE) 7.FOUR 3.2V OUTPUT PORT FOR BULBS.
CL03	Solar system	Migras 9 (Millitary	PCS	1 BUILT IN 6000MA HIGH CAPACITY LITHIUM BATTERY, 2 WITH 6V 4W SOLAR PANEL(CHARGE TIME 10-12 HOURS) 3 BUILT IN SUPER BRIGHT LED TUBE ON SIDE.(CAN ADJUST BRIGHTNESS) 4 BUILT IN SIDE TORCH(CAN ADJUST BRIGHTNESS) 5 WITH THREE LED BULB(CAN USE 8-10 HOURS AT SAME TIME) 6 ONE 5V USB OUTPUT PORT(INCLUDE A 5 IN 1 MOBILE CHARGE WIRE) 7.FOUR 3.2V OUTPUT PORT FOR BULBS.
CL06A	Solar system	CL-06A	PCS	1. IPBS WEATHER PROOF, NO WORRY ABOUT DUST AND RAINY DAYS. 2. BUILT IN 80 3W SOLAR PANEL (6-8 HOURS CAN BE FULLY CHARGED). 3. BUILT IN 5000MAH HIGH CAPACITY LITHIUM BATTERY. 4. BUILD IN MAIN LIGHT (SIGLE USE CAN LAST10H-30H). 5. WITH THREE 3W QUADRATE COB BULBS (CAN USE 10-15H). 6. WITH 5V USB OUTPUT PORT(INCLUDE ONE 3 IN 1 MOBILE CHARGE WIRE).
CL09	Solar system	21-09 20	PCS	1.WITH 6V 3W SOLAR PANEL (6-8 HOURS CAN BE FULLY CHARGED) 2.BUILT IN 5000MAH HIGH CAPACITY LITHIUM BATTERY. 3. COME WITH TWO 3W BULB (CAN USE 10-15HOURS) 4. ONE 5V USB OUTPUT PORT(INCLUDE A 3 IN 1 MOBILE CHARGE WIRE) 5. COME WITH 3.2V OUTPUT PORTS FOR BULBS.
CL-12	Solar system	CL-12 Otv. Jöpes 0.3cbm	PCS	1 BUILT IN 2500MAH RECHARGEABLE LITHIUM BATTERY. 2 WITH 6V 2 SW SOLAR CHARGE HOLDER (CHARGE TIME 8-15 HOURS) 3 BUILT IN 30W SUPER BRIGHT LED TUBE ON SIDE.(CAN ADJUST BRIGHTNESS) 4 BUILT IN SIDE TORCH(CAN ADJUST BRIGHTNESS) 5 WITH TWO PICES LED BUILS 6 ONE 5V USB OUTPUT PORT(INCLUDE A 3 IN 1 MOBILE CHARGE WIRE)

6	0.083+ 0.065	22+18
4	0.083+ 0.065	
8	0.045	18.50
4	0.040	20.00
16	0.092	28
16	0.097	30
16	0.088	29
30	0.1	31
30	0.134	29.35
30	0.1	28

	1	The state of the s			, .		
CL-13	Solar system	CL-13	PCS	1.BUILT IN 5000MAH HIGH CAPACITY LITHIUM BATTERY. 2.BUILD IN 3.5W SOLAR PANEL (CHARGE TIME 8-15 HOURS) 3.BUILT IN SUPER BRIGHT LED TUBE ON SIDE_(CAN ADJUST BRIGHTNESS) 4.BUILT IN SIDE TORCH(CAN ADJUST BRIGHTNESS) 5.WITH TWO PICCES LED BULBS 6.ONE 5V USB OUTPUT PORT(INCLUDE A 3 IN 1 MOBILE CHARGE WIRE)	20	0.093	28
CL28	SOLAR LIGHT	12pcs 0,11cbm	PCS	1. Built in 6000 mA high capacity lithium battery. 2. With 6v 4w solar charging panel (charging time 10-12 hours) 3. Three external led bulb 3-meter wires (can be used for 8-12 hours when fully charged) 4. SV USB output (including 5-in-1 mobile charging cable) 5. The body is equipped with a 3W high-power flashlight 6. Body side LED light (warm white light)	12	0.107	
CL3608	Solar system	CL-3608	PCS	1. 18V20W solar panel 2. 4 bulbs 3. One in three data cables 4.12V7AH lead-acid battery	8	0.08	
CL108	Solar lamp	Management of the second of th	PCS	1. BUILT IN 3000MAH HIGH CAPACITY LITHIUM BATTERY. 2. WITH 6V 1.2W SOLAR PANEL (CHARGE TIME; THREE DAYS) 3. BUILT IN SUPER BRIGHT COB LIGHT 10LM-140LM. (WORK TIME: 5-40H) 4. BUILD IN LIGHT SENSOR (AUTOMATICALLY TURN ON AT NIGHT AND TURN OFF AT DAY TIME) 5. BUILD IN LIGHTON SENSOR (PEOPLE COME STRONG LIGHT, PEOPLE LEAVE WEAK LIGHT) 6. COME WITH INSTALLATION ASSESSORIES.	80	0.116	26.75
CL-109 Bayonet	emergency light	CL-109 #829 DI27 #40cs 0 066cam	Set	1. BUILT IN 5000MAH HIGH CAPACITY LITHIUM BATTERY 2. EQUUAL TO 150W FILAMENT BULB 3. BUILT IN NIDICATE LIGHT 4. BUILT IN SCREW/PIN(E27 or B22) BASE OR BAYONET BASE 5. HOOK 6. WORKING TIME :2-3 HOURS	40	0.088	14.6
CL112	Solar Stree Lamp	1 April O. Auder	PCS	1. IP-65 NO WORRY ABOUT DUST AND RAINY DAYS. 2. BUILD IN SOOMAH HIGH CAPACITY LITHIUM BATTERY (5-8 YEARS LIFETIME) 3. BUILD IN 200W STRONG SHINNING LED LIGHT 4. WHEN FULL CHARGE WILL WORK FOR 6-8 HOURS IN STRONG BRIGHTNESS AND CAN LAST FOR 50 HOURS IN WEAK BRIGHTNESS 4. COME WITH 7W HIGH POWER SOLAR PANEL (8-10 HOURS WILL BE FULLY CHARGED) 5. BUILD IN RADAR SENSOR (AUTOMATICALLY TURN ON AND TURN OFF) 6. BUILS IN MOTION SENSOR (PEOPLE COME STRONG LIGHT PEOPLE I EAVE WEAK LIGHT) 1. IP-65 NO WORRY ABOUT DUST AND RAINY DAYS.	16	0.11	23
CL115	Solar Stree Lamp	CL-115	PCS	1. I.P:65 NO WORRY ABOUT DUST AND RAINY DAYS. 2. BUILD IN GOOMAH HIGH CAPACITY LITHIUM BATTERY (5- 8 YEARS LIFETIME) 3. BUILD IN 300W STRONG SHINNING LED LIGHT 4. WHEN FULL CHARGE WILL WORK FOR 6-8 HOURS IN STRONG BRIGHTNESS AND CAN LAST FOR 50 HOURS IN WEAK BRIGHTNESS 4. COME WITH 8W HIGH POWER SOLAR PANEL (8-10 HOURS WILL BE FULLY CHARGED) 5. BUILD IN RADAR SENSOR (AUTOMATICALLY TURN ON AND TURN OFF) 6 BUILS IN MOTION SENSOR (PEOPLE COME STRONG LIGHT PEOPLE I EAVE WEAK LIGHT) 1. IP-65 NO WORRY ABOUT DUST AND RAINY DAYS.	12	0.12	20
CL110	Solar Stree Lamp	20pca 0.000ctore	PCS	1. IP:65 NO WORRY ABOUT DUST AND RAINY DAYS. 2. BUILD IN SOOMAH HIGH CAPACITY LITHIUM BATTERY (5- 6 YEARS LIFETIME) 3. BUILD IN 300 STRONG SHINNING LED LIGHT 4. WHEN FULL CHARGE WILL WORK FOR 8 HOURS IN STRONG BRIGHTNESS AND CAN LAST FOR 48 HOURS IN WEAK BRIGHTNESS 4. COME WITH 3.8W HIGH POWER SOLAR PANEL (8-10 HOURS WILL BE FULLY CHARGED) 5. BUILD IN LIGHT SENSOR (AUTOMATICALLY TURN ON AND TURN OPF) 6.BUILS IN MOTION SENSOR (PEOPLE COME STRONG LIGHT BERDIE LEAVE MERAL LIGHT)	20	0.095	28
CL180	Solar Bluetooth street lamp	Tipos 0.78cm	PCS	1. IP:65 RAIN PROOF 2. BUILD IN 10000MAH HIGH CAPACITY LITHIUM BATTERY (5-6 YEARS LIFETIME) 3. BUILD IN 30W STRONG SHINNING LED LIGHT 4. WORKING THE: 8-48 HOURS 5. COME WITH 5W HIGH POWER SOLAR PANEL 6. BUILD IN LIGHT SENSOR AND MOTION SENSOR 7.COME WITH REMOTE CONTROL 8. BUILD IN BLUETOOTH AND HIFT SPEAKER 9. INSTALLATION TOOLKIT	16	0.078 0.024	30.6 8.2
CL181	Solar Bluetooth street lamp	Byce II. 15ctor	PCS	1. IP.65 RAIN PROOF 2. BUILD IN 20000MAH HIGH CAPACITY LITHIUM BATTERY (5-6 YEARS LIFETIME) 3. BUILD IN 60W STRONG SHINNING LED LIGHT 4. WHEN FULL CHARGE WILL WORK FOR 8-48 HOURS 5. COME WITH 10W HIGH POWER SOLAR PANEL (8-10 HOURS WILL BE FULLY CHARGED) 6. BUILD IN LIGHT SENSOR AND MOTION SENSOR 7. COME WITH REMOTE CONTROL 8 BUILD IN BLUETOOTH AND HIGH QUALITY HI-FI SPEAKER 9. INSTALLATION TOOLKIT 10. ALUMINIUM	8	0.151	28.9
CL182	Solar Bluetooth street lamp	M	PCS	1. IP-95 RAIN PROOF 2. BUILD IN 30000MAH HIGH CAPACITY LITHIUM BATTERY (5-6 YEARS LIFETIME) 3. BUILD IN 3000 STRONG SHINNING LED LIGHT 4. WHEN FULL CHARGE WILL WORK FOR 8-48 HOURS 5. COME WITH 30W HIGH POWER SOLAR PANEL (8-10 HOURS WILL BE FULLY CHARGE)) 6. BUILD IN LIGHT SENSOR AND MOTION SENSOR 7. COME WITH REMOTE CONTROL 8. BUILD IN BLUET COTH AND HIGH QUALITY HI-FI SPEAKER 9. INSTALLATION TOOLKIT 10. ALUMINIUM	8 8	0.148 0.035 0.08	29.56

CL-730S	Solar floodlight	SQLAR Hopes 0 000 ton	1. IP67, rainproof and dustproof, no need to worry about rain and sandstorm 2. 0000 Ma high capacity lithium iron phosphate battery (5-6 years service life) 3. 500 strong LED light 4. Full charge for 13-15 hours 5. 6v12 w super strong solar panel (fully charged in 8-10 hours) 6. With light sensor (automatic light at night, automatic light out in day) 7. Including installation accessories 8. The remote control can control the light for several hours and adjust the light intensity 9. With 3M extension cable	10	0.059	23
CL-750S	Solar flood light	SOLAR April 00 Oct 1 days	Q. With SM. Avdessino cable 1. IPG7, rainproof and dustproof, no need to worry about rain and sandstorm 2. 12000 Ma high capacity lithium iron phosphate battery (5-6 years service life) 3. 100W strong LED light 4. Full charge for 13-15 hours 5. 6v/f6w super strong solar panel (fully charged in 8-10 hours) 6. With light sensor (automatic light at night, automatic light out in day) 7. Including installation accessories 8. The remote control can be on for several hours at a fixed time, and the light intensity can be adjusted Q. With SM. Avdensino cable 1. IPG7, rainproof and dustproof, no need to worry about rain and	8	0.081	27
CL-780S	Solar flood light	Special Confedence of the Conf	1. IP67, rainproof and dustproof, no need to worry about rain and sandstorm 2. 24000 Ma high capacity lithium iron phosphate battery (5-6 years service life) 3. 200W strong LED light 4. Full charge for 13-15 hours 5. 6v25w super strong solar panel (fully charged in 8-10 hours) 6. With light sensor (automatic light at night, automatic light out in day) 7. Including installation accessories 8. The remole control can control the light for several hours and adjust the light intensity 9. With 5M sextension cable 1. IP67, rainproof and dustproof, no need to worry about rain and	5	0.078	25
CL-790S	Solar flood light	Apos 0.1 cters	1. IPG / ramproof and dustproof, no need to worry about rain and sandstorm 2. 42000 Ma high capacity lithium iron phosphate battery (5-6 years service life) 3. 300W strong LED light 4. Full charge for 13-15 hours 5.6v45w super strong solar panel (8-10 hours full charge) 6. With light sensor (automatic light at night, automatic light out in day) 7. Including installation accessories 8. The remote control can be on for several hours at a fixed time, and the light intensity can be adjusted 9. With 3M extreasion cable	4	0.1	28
GD070	SOLAR ALARM LIGHT	GD-070	IP67 15W LED FLOOD LIGHT WORKING TIME: 12H 2W SOLAR PANEL BATTERY:2000MAH LIGHT SENSOR	36	0.075	
CL-7355	Solar flood light	CL-7355	IP67 LAMP SIZE:14.7*13.2*4.8cm POWER:50W BEADS:32PCS WORKING TIME:12H BATTERY CAPACITY:3AH 3.8W SOLAR PABLE PLASIC REMOTE CONTROL PLASTIC SHELL	32	0.100	26
CL7356	Solar flood light	CL-7356 OFFICIAL TECHNOLOGY OTY:24pcs 0.075ctum	IP67 LAMP SIZE:18.3*15.8*5.7cm POWER:100W BEADS:68PCS WORKING TIME:12H BATTERY CAPACITY:5AH SW SOLAR PANEL PLASIC REMOTE CONTROL PLASTIC SHELL	20	0.081	21
CL7357	Solar flood light	Coc ANNO TO THE STATE OF THE ST	IP67 LAMP SIZE:22.8*20.1*7cm POWER:200W BEADS:116PCS WORKING TIME:12H BATTERY CAPACITY:7AH 10W SOLAR PANEL (35*23.5cm) REMOTE CONTROL PLASTIC SHELL	10	0.070	19
CL7358	SOLAR FLOOD LIGHT	CL-7358 GRMAN TECHOLOGY OTY:Spcs 0,67)cbm	IP67 LAMP SIZE:25*22*8cm POWER:300W BEADS:176PCS WORKING TIME:12H BATTERY CAPACITY:10AH 12W SOLAR PANEL (35*23.5cm) REMOTE CONTROL PLASTIC SHELL	8	0.073	18.20
CL7359	SOLAR FLOOD LIGHT	CL-7359 GERMAN TECHNOLOGY OTY: Specs @ Obclum	IP67 LAMP SIZE:30*26*9cm POWER:500W BEADS: 284PCS WORKING TIME:12H BATTERY CAPACITY:20AH 25W SOLAR PANEL (45*35cm) REMOTE CONTROL PLASTIC SHELL	5	0.060	27.00