

FLEXIBLE SOLAR PANEL



200W BIPV SOLAR PANEL



Pmax: 200W
Vmp: 11.4V
Imp: 2*8.77A
Solar Cell: Monocrystalline silicon
Output cable: MC4 Connector
Size: 2272*520*15mm
Application areas: Rooftop Power Station,
Home Energy Storage




100W SOLAR PANEL



Pmax: 100W
Vmp: 24.3V
Imp: 4.1A
Solar Cell: Monocrystalline silicon
Output cable: MC4 Connector
Size: 1062*530*35mm
Application areas: Rooftop power station,
energy storage system,
street light



400W BIPV SOLAR PANEL



Pmax: 400W
Vmp: 11.4V
Imp: 4*8.77A
Solar Cell: Monocrystalline silicon
Output cable: MC4 Connector
Size: 2272*970*15mm
Application areas: Rooftop Power Station,
Home Energy Storage




120W SOLAR PANEL



Pmax: 120W
Vmp: 24.3V
Imp: 4.93 A
Solar Cell: Monocrystalline silicon
Output cable: MC4 Connector
Size: 870*578*24mm
Application areas: Rooftop power stations,
household energy storage,
street lights



200W BIPV SOLAR PANEL



Pmax: 200W
Vmp: 18.24V
Imp: 10.96A
Solar Cell: Monocrystalline silicon
Output cable: MC4 Connector
Size: 2094*1038*35mm
Application areas: Rooftop Power Station,
Home Energy Storage



230W SOLAR PANEL



Pmax: 230W
Vmp: 27V
Imp: 8.5A
Solar Cell: Monocrystalline silicon
Output cable: MC4 Connector
Size: 1345*895*20mm
Application areas: Rooftop Power Station,
Home Energy Storage





135W SILVER GLASS SOLAR PANEL

Pmax:	135W
Vmp:	18V
Imp:	7.5A
Solar Cell:	Monocrystalline Silicon
Output cable:	MC4 Connector
Size:	1485*670*35mm
Application areas:	Silver (other colors can be customized)



135W RED GLASS SOLAR PANEL

Pmax:	60W
Vmp:	18V
Imp:	7.5A
Solar Cell:	Monocrystalline silicon
Output cable:	MC4 Connector
Size:	1387*351*20mm
Application areas:	Red (other colors can be customized)



55W RED FRAME SOLAR PANEL

Pmax:	55W
Vmp:	18V
Imp:	3A
Solar Cell:	Monocrystalline silicon
Output cable:	MC4 Connector
Size:	870*578*24mm
Application areas:	Red (other colors can be customized)



100W FOLDING SOLAR PANEL

Pmax:	100W
Vmp:	19.8V
Imp:	2*2.52A
Solar cells:	Monocrystalline silicon
Output cable:	MC4 Connector
Weight:	8.15Kg
Folded size:	570*535*75mm
Open size:	1070*570*35mm



25W SOLAR PANEL

Pmax:	25W
Vmp:	5.6V
Imp:	4.46 A
Solar cells:	Monocrystalline silicon
Output cable:	MC4 Connector
size:	445*350*30mm
	Other powers can be customized upon request



2.8W SOLAR PANEL

Pmax:	2.8W
Vmp:	5.6V
Imp:	0.5A
Solar Cell:	Monocrystalline silicon
Size:	158*108*4mm
	Other powers can be customized upon request



20W SHINGLED SOLAR PANEL



Pmax: 20W
 Vmp: 5V
 Imp: 4A
 Solar Cell: Monocrystalline silicon
 Size: 513*261*V84mm
 CE RoHS Other powers can be customized upon request

4.2W ETFE SOLAR PANEL




Pmax: 4.2W
 Vmp: 18V
 Imp: 0.23A
 Solar Cell: Monocrystalline silicon
 Size: 490*62*3mm
 CE RoHS Other powers can be customized upon request

3.4W SOLAR PANEL



Pmax: 3.4W
 Vmp: 18V
 Imp: 0.18A
 Solar Cell: Monocrystalline silicon
 Size: 450*75*3mm
 CE RoHS Other powers can be customized upon request

36W ETFE FOLDING SOLAR PANEL



Pmax: 36W
 Vmp: 13.4V
 Imp: 2.68A
 Output: USB output: 5V/2.4A
 Solar cells: monocrystalline silicon
 Weight: 0.65Kg
 Open size: 295*195*20mm
 Expanded size: 921*295*55mm
 Application fields: Mobile phone, tablet computer, power bank
 CE RoHS

5W RED GLASS SOLAR PANEL



Pmax: 5W
 Vmp: 4.48V
 Imp: 1.11A
 Solar cells: Monocrystalline silicon
 Output cable: MC4 Connector
 Size: 330*87*25mm
 Tempered glass color: red (other colors can be customized)
 CE RoHS

200W FOLDING SOLAR PANEL



Pmax: 200W
 Vmp: 20.16V
 Imp: 9.92A
 Solar cells: monocrystalline silicon
 Output cable: MC4 Connector
 weight: 7.25Kg
 Folded size: 612*535*45mm
 Open size: 2310*535*30mm
 Application fields: Outdoor camping, outdoor portable energy storage
 CE RoHS



200W ETFE FOLDING SOLAR PANEL

Pmax: 200W
Vmp: 20.16V
Imp: 9.92A
Solar cells: Monocrystalline silicon
Output cable: MC4 Connector
weight: 7.6Kg
Folded size: 555*620*55mm
Open size: 2369*555*25mm
Application fields: Outdoor camping, outdoor portable energy storage



100W ETFE FOLDING SOLAR PANEL

Pmax: 100W
Vmp: 20.16V
Imp: 4.96A
Solar cells: Monocrystalline silicon
Output cable: MC4 Connector
weight: 5Kg
Folded size: 550*370*55mm
Open size: 1855*412*25mm
Application fields: Outdoor camping, outdoor portable energy storage



100W ETFE FOLDING SOLAR PANEL

Pmax: 100W
Vmp: 20.16V
Imp: 4.96A
Solar cells: monocrystalline silicon
Output cable: MC4 Connector
weight: 4.8 Kg
Folded size: 615*555*45mm
Open size: 1232*555*25mm
Application fields: Outdoor camping, outdoor portable energy storage




100W IBC FOLDING SOLAR PANEL

Pmax: 100W
Vmp: 18V
Imp: 5.55A
Solar cells: IBC
Output cable: MC4 Connector
weight: 4.8Kg
Folded size: 615*555*45mm
Open size: 1232*555*25mm
Application fields: Outdoor camping, outdoor portable energy storage



110W ETFE FOLDING SOLAR PANEL

Pmax: 110W
Vmp: 18V
Imp: 6.11A
Solar cells: monocrystalline silicon
Output cable: MC4 Connector
Weight: 4.6Kg
Folded size: 555*620*45mm
Open size: 1232*555*25mm
Application fields: Outdoor camping, outdoor portable energy storage





200W ETFE FLEXIBLE SOLAR PANEL

Pmax:	200W
Vmp:	20.16V/40.32V
Imp:	9.92A/4.96A
Solar cells:	Monocrystalline silicon
Output:	MC4 Connector
Color:	black/white
Weight:	4.45Kg
Size:	1595*720*3mm
Feature:	Ultra thin ETFE solar panel Waterproof, anti aging, long service life, high anti fouling, self cleaning




100W ETFE FLEXIBLE SOLAR PANEL

Pmax:	100W
Vmp:	20.16V
Imp:	4.96A
Solar cells:	Monocrystalline silicon
Output:	MC4 Connector
Color:	black/white
Weight:	2.45Kg
Size:	838*720*3mm
Feature:	Ultra thin ETFE solar panel Waterproof, anti aging, long service life, high anti fouling, self cleaning



5W SOLAR PANEL SUPPLY SYSTEM

Pmax:	5W
Vmp:	5V
Imp:	1A
Solar cells:	Monocrystalline silicon
Output cable:	DC3.5
接口 Size: 尺寸	298*197*14mm
	Other power can be customized



Rooftop Power Generation



Outdoor Camping



Solar Street Light

Solar Rv

Solar Yacht

Solar Charging Pile

