



1.5	38	20	608	60	30	43×60	30×45	
2	50	24	608	71	40	50×70	35×50	



1.5	38	20	608	60	30	43×60	30×45
2	50	24	608	71	40	50×70	35×50
2.5	63	30	6001	90	60	63×93	45×72
3	75	30	6001	105	80	63×93	45×72
4	101	30	6001	130	90	62×93	45×72
5	127	30	6001	155	100	62×93	45×72



1.5	38	20	608	60	30	43×60	30×45	
2	50	24	608	71	40	50×70	35×50	



2.5	63	30	6001	90	60	63×93	45×72
3	75	30	6001	105	80	63×93	45×72
4	101	30	6001	130	90	62×93	45×72
5	127	30	6001	155	100	62×93	45×72



* 另外配有丝杆活动和丝杆刹车

规格参考 Specification Reference								备注 Note
---------------------------------	--	--	--	--	--	--	--	------------

1.5	38	20	608	60	30	43×60	30×45	
2	50	24	608	71	40	50×70	35×50	
2.5	63	30	6001	90	60	63×93	45×72	



固定
fixed

1.5	38	20	608	60	30	43×60	30×45	
2	50	24	608	71	40	50×70	35×50	
2.5	63	30	6001	90	60	63×93	45×72	



活动
swivel

1.5	38	20	608	60	30	43×60	30×45	
2	50	24	608	71	40	50×70	35×50	
2.5	63	30	6001	90	60	63×93	45×72	



刹车
brake

规格参考 Specification Reference								备注 Note
---------------------------------	--	--	--	--	--	--	--	------------

3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



固定
fixed

3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



活动
swivel

3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



刹车
brake



规格参考 Specification Reference								备注 Note
---------------------------------	--	--	--	--	--	--	--	------------



1.5	38	20	608	60	30	43×60	30×45	
2	50	24	608	71	40	50×70	35×50	
2.5	63	30	6001	90	60	63×93	45×72	



1.5	38	20	608	60	30	43×60	30×45	
2	50	24	608	71	40	50×70	35×50	
2.5	63	30	6001	90	60	63×93	45×72	



1.5	38	20	608	60	30	43×60	30×45	
2	50	24	608	71	40	50×70	35×50	
2.5	63	30	6001	90	60	63×93	45×72	

规格参考 Specification Reference								备注 Note
---------------------------------	--	--	--	--	--	--	--	------------



3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



规格参考 Specification Reference								备注 Note
---------------------------------	--	--	--	--	--	--	--	------------



固定
fixed

1.5	38	20	608	60	30	43×60	30×45	
2	50	24	608	71	40	50×70	35×50	
2.5	63	30	6001	90	60	63×93	45×72	



活动
swivel

1.5	38	20	608	60	30	43×60	30×45	
2	50	24	608	71	40	50×70	35×50	
2.5	63	30	6001	90	60	63×93	45×72	



刹车
brake

1.5	38	20	608	60	30	43×60	30×45	
2	50	24	608	71	40	50×70	35×50	
2.5	63	30	6001	90	60	63×93	45×72	

规格参考 Specification Reference								备注 Note
---------------------------------	--	--	--	--	--	--	--	------------



固定
fixed

3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



活动
swivel

3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



刹车
brake

3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



规格参考 Specification Reference								备注 Note
---------------------------------	--	--	--	--	--	--	--	------------



固定
fixed

1.5	38	20	608	60	30	43×60	30×45	
2	50	24	608	71	40	50×70	35×50	
2.5	63	30	6001	90	60	63×93	45×72	



活动
swivel

1.5	38	20	608	60	30	43×60	30×45	
2	50	24	608	71	40	50×70	35×50	
2.5	63	30	6001	90	60	63×93	45×72	



刹车
brake

1.5	38	20	608	60	30	43×60	30×45	
2	50	24	608	71	40	50×70	35×50	
2.5	63	30	6001	90	60	63×93	45×72	

规格参考 Specification Reference								备注 Note
---------------------------------	--	--	--	--	--	--	--	------------



固定
fixed

3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



活动
swivel

3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



刹车
brake

3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



* 另外配有拉杆刹车, 拉杆活动脚轮



规格参考 Specification Reference									备注 Note
---------------------------------	--	--	--	--	--	--	--	--	------------



固定
fixed

1.5	38	20	608	60	30	43×60	30×45	
2	50	24	608	71	40	50×70	35×50	
2.5	63	30	6001	90	60	63×93	45×72	



活动
swivel

1.5	38	20	608	60	30	43×60	30×45	
2	50	24	608	71	40	50×70	35×50	
2.5	63	30	6001	90	60	63×93	45×72	



刹车
brake

1.5	38	20	608	60	30	43×60	30×45	
2	50	24	608	71	40	50×70	35×50	
2.5	63	30	6001	90	60	63×93	45×72	

规格参考 Specification Reference									备注 Note
---------------------------------	--	--	--	--	--	--	--	--	------------



固定
fixed

3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



活动
swivel

3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



刹车
brake

3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



规格参考 Specification Reference								备注 Note
---------------------------------	--	--	--	--	--	--	--	------------



固定
fixed

3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



活动
swivel

3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



刹车
brake

3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	

规格参考 Specification Reference								备注 Note
---------------------------------	--	--	--	--	--	--	--	------------



固定
fixed

2.5	63	30	6001	90	60	62×93	45×72	
3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



活动
swivel

2.5	63	30	6001	90	60	62×93	45×72	
3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



刹车
brake

2.5	63	30	6001	90	60	62×93	45×72	
3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



规格参考 Specification Reference								备注 Note
---------------------------------	--	--	--	--	--	--	--	------------



1.5	38	20	608	60	30	43×60	30×45	
2	50	24	608	71	40	50×70	35×50	
2.5	63	30	6001	90	60	63×93	45×72	



1.5	38	20	608	60	30	43×60	30×45	
2	50	24	608	71	40	50×70	35×50	
2.5	63	30	6001	90	60	63×93	45×72	



1.5	38	20	608	60	30	43×60	30×45	
2	50	24	608	71	40	50×70	35×50	
2.5	63	30	6001	90	60	63×93	45×72	

规格参考 Specification Reference								备注 Note
---------------------------------	--	--	--	--	--	--	--	------------



3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



规格参考 Specification Reference								备注 Note
---------------------------------	--	--	--	--	--	--	--	------------



固定
fixed

2.5	63	30	6001	90	60	63×93	45×72	
3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



活动
swivel

2.5	63	30	6001	90	60	63×93	45×72	
3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



刹车
brake

2.5	63	30	6001	90	60	63×93	45×72	
3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	

规格参考 Specification Reference								备注 Note
---------------------------------	--	--	--	--	--	--	--	------------



固定
fixed

2.5	63	30	6001	90	60	63×93	45×72	
3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



活动
swivel

2.5	63	30	6001	90	60	63×93	45×72	
3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



刹车
brake

2.5	63	30	6001	90	60	63×93	45×72	
3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



* 白架与黑架轮子均配有“固定”、“活动”、“刹车”款式

规格参考 Specification Reference								备注 Note
---------------------------------	--	--	--	--	--	--	--	------------



固定
fixed

3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



活动
swivel

3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



刹车
brake

3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	

规格参考 Specification Reference								备注 Note
---------------------------------	--	--	--	--	--	--	--	------------



固定
fixed

3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



活动
swivel

3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



刹车
brake

3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



* 另外配有丝杆活动和丝杆刹车



规格参考 Specification Reference								备注 Note
---------------------------------	--	--	--	--	--	--	--	------------



3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	

规格参考 Specification Reference								备注 Note
---------------------------------	--	--	--	--	--	--	--	------------



3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



*另外配有丝杆活动和丝杆刹车



黑 PP 双轴轮
Black PP double ball bearing caster

黄 PP 双轴轮
Yellow PP double ball bearing caster

规格参考 Specification Reference							备注 Note
---------------------------------	--	--	--	--	--	--	------------

2	50	24	71	40	50×70	35×50	
2.5	63	30	90	60	63×93	45×72	
3	75	30	105	80	62×93	45×72	
4	101	30	130	90	62×93	45×72	
5	127	30	155	100	62×93	45×72	

2	50	24	71	40	50×70	35×50	
2.5	63	30	90	60	63×93	45×72	
3	75	30	105	80	62×93	45×72	
4	101	30	130	90	62×93	45×72	
5	127	30	155	100	62×93	45×72	



活动
activity



刹车
brake

规格参考 Specification Reference							备注 Note
---------------------------------	--	--	--	--	--	--	------------

3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	

3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



轮子均配有“固定”、“刹车”的款式



规格参考 Specification Reference									备注 Note
---------------------------------	--	--	--	--	--	--	--	--	------------

1.5	38	20	608	60	30	43×60	30×45	
2	50	24	608	71	40	50×70	35×50	
2.5	63	30	6001	90	60	63×93	45×72	
3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	

More wheels, more options,
welcome to reach us for more details in OEM and ODM project.



If you have any requirements on the colors of the forks,
please contact us for more details.





规格参考 Specification Reference								备注 Note
---------------------------------	--	--	--	--	--	--	--	------------



固定
fixed

3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



活动
swivel

3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



刹车
brake

3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	

规格参考 Specification Reference								备注 Note
---------------------------------	--	--	--	--	--	--	--	------------



固定
fixed

3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



活动
swivel

3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	



刹车
brake

3	75	30	6001	105	80	62×93	45×72	
4	101	30	6001	130	90	62×93	45×72	
5	127	30	6001	155	100	62×93	45×72	